The Journal of Cell Biology

Volume 103, 1986



Edited in cooperation with
The American Society for Cell Biology
Published monthly by
The Rockefeller University Press
Copyediting and Production
Steven Baeck and Michele Boyd

Editor-in-Chief

Norton B. Gilula

Associate Editors

Günter Blobel
Joseph Gall
Luis Glaser
Thomas Pollard
Kai Simons
Harold Weintraub

Editorial Board

Bruce M. Alberts
Richard G. W. Anderson
Elizabeth Blackburn
David Botstein
Dennis Bray
Bill R. Brinkley
Nam-Hai Chua
Donald A. Fischman
Werner W. Franke
Daniel A. Goodenough
Michael Gottesman
Tony Hunter
Kenneth A. Johnson
Regis Kelly
Marc W. Kirschner
Elias Lazarides
J. Richard McIntosh
Ira Mellman
Mark S. Mooseker
Douglas B. Murphy
Bernardo Nadal-Ginard
Mary Lou Pardue
Peter Rae
Randy W. Schekman
Samuel C. Silverstein
Joan A. Steitz
Robert L. Trelstad
Nigel Unwin
Antti Vaheri
Graham Warren
Kenneth M. Yamada
Sally H. Zigmond

Copyright © 1986 by The Rockefeller University Press

Contents:

Volume 103, Number 1, July 1986

1 **Molecular cloning and expression of flagellar radial spoke and dynein genes of *Chlamydomonas*.** B. D. Williams, D. R. Mitchell, and J. L. Rosenbaum

13 **Cytoplasmic microtubules containing acetylated α-tubulin in *Chlamydomonas reinhardtii*: spatial arrangement and properties.** M. LeDizet and G. Piperno

23 **Microtubules and microtubule-associated proteins from the nematode *Caenorhabditis elegans*: periodic cross-links connect microtubules in vitro.** E. J. Aamodt and J. G. Culotti

33 **270K microtubule-associated protein cross-reacting with anti-MAP2 IgG in the crayfish peripheral nerve axon.** N. Hirokawa

41 **Differentiation-dependent changes in the solubility of a 195-kD protein in human epidermal keratinocytes.** A. S.-P. Ma and T.-T. Sun

49 **Differentiation-related expression of a major 64K corneal keratin in vivo and in culture suggests limbal location of corneal epithelial stem cells.** A. Schermer, S. Galvin, and T.-T. Sun

63 **Expression and intracellular distribution of stress fibers in aortic endothelium.** G. E. White and K. Fujiwara

71 **Transient inactivation of the thylakoid photosystem II light-harvesting protein kinase system and concomitant changes in intramembrane particle size during photoinhibition of *Chlamydomonas reinhardtii*.** G. Schuster, M. Dewit, L. A. Staehelin, and I. Ohad

81 **Synthesis by cultured human umbilical vein endothelial cells of two proteins structurally and immunologically related to platelet membrane glycoproteins IIb and IIIa.** P. J. Newman, Y. Kawai, R. R. Montgomery, and T. J. Kunicki

87 **Epidermal growth factor receptors associated to cytoskeletal elements of epidermoid carcinoma (A431) cells.** F. A. C. Wiegant, F. J. Blok, L. H. K. Defize, W. A. M. Linnemans, A. J. Verkley, and J. Boonstra

95 **Phosphorylation of membrane-bound guanylate cyclase of sea urchin spermatozoa.** G. E. Ward, G. W. Moy, and V. D. Vacquier

103 **Biosynthesis of spectrin and its assembly into the cytoskeletal system of Friend erythroleukemia cells.** S. R. Pfeffer, T. Huima, and C. M. Redman

115 **The 4.1-like proteins of the bovine lens: spectrin-binding proteins closely related in structure to red blood cell protein 4.1.** J. C. Aster, G. J. Brewer, and H. Maisel

123 **Molecular cloning of cDNA for rat liver gap junction protein.** D. L. Paul

135 **Electrophysiological properties of gap junctions between dissociated pairs of rat hepatocytes.** D. C. Spray, R. D. Ginzberg, E. A. Morales, Z. Gatmaitan, and I. M. Arias

145 **Differential contributions of Ng-CAM and N-CAM to cell adhesion in different neural regions.** S. Hoffman, D. R. Friedlander, C.-M. Chuong, M. Grumet, and G. M. Edelman

159 **Specific asparagine-linked oligosaccharides are not required for certain neuron–neuron and neuron–Schwann cell interactions.** N. Ratner, A. Elbein, M. B. Bunge, S. Porter, R. P. Bunge, and L. Glaser

171 **Fluorescent carbocyanine dyes allow living neurons of identified origin to be studied in long-term cultures.** M. G. Honig and R. I. Hume

189 **Heterogenous distribution of the cAMP receptor protein RII in the nervous system: evidence for its intracellular accumulation on microtubules, microtubule-organizing centers, and in the area of the Golgi complex.** P. De Camilli, M. Moretti, S. Denis Donini, U. Walter, and S. M. Lohmann

205 **Surface and intracellular distribution of a putative neuronal nicotinic acetylcholine receptor.** M. H. Jacob, J. M. Lindstrom, and D. K. Berg

215 **Effects of cell density and extracellular matrix on the lateral diffusion of major histocompatibility antigens in cultured fibroblasts.** M. L. Wier and M. Edidin

223 **A major collagen-binding protein of chick embryo fibroblasts is a novel heat shock protein.** K. Nagata, S. Saga, and K. M. Yamada

231 **Extracellular compartments in tendon morphogenesis: collagen fibril, bundle, and macroaggregate formation.** D. E. Birk and R. L. Trelstad

241 **Characterization of secretory protein translocation: ribosome–membrane interaction in endoplasmic reticulum.** M. Hortsch, D. Avossa, and D. I. Meyer

255 **Posttranslational modification and intracellular transport of a trypanosome variant surface glycoprotein.** J. D. Bangs, N. W. Andrews, G. W. Hart, and P. T. Englund

265 **Membrane traffic in animal cells: cellular glycoproteins return to the site of Golgi mannosidase I.** M. D. Snider and O. C. Rogers

277 **Transferrin receptors recycle to *cis* and middle as well as *trans* Golgi cisternae in Ig-secreting myeloma cells.** J. W. Woods, M. Doriaux, and M. G. Farquhar

287 **Subpopulations of liver coated vesicles resolved by preparative agarose gel electrophoresis.** N. L. Kedersha, D. F. Hill, K. E. Kronquist, and L. H. Rome

299 **Rat retinal pigment epithelial cells show specificity of phagocytosis in vitro.** P. L. Mayerson and M. O. Hall

309 *Placement Service Notices*

Volume 103, Number 2, August 1986

Mini-Review

321 **Heat shock proteins: the search for functions.** M. J. Schlesinger

Regular Articles

327 **Large deletions in the cytoplasmic kinase domain of the epidermal growth factor receptor do not affect its lateral mobility.** E. Livneh, M. Benveniste, R. Prywes, S. Felder, Z. Kam, and J. Schlessinger

333 **Perinuclear location and recycling of epidermal growth factor receptor kinase: immunofluorescent visualization using antibodies directed to kinase and extracellular domains.** U. Murthy, M. Basu, A. Sen-Majumdar, and M. Das

343 **Erythrocyte membrane deformability and stability: two distinct membrane properties that are independently regulated by skeletal protein associations.** J. A. Chasis and N. Mohandas

351 **Agorins: major structural proteins of the plasma membrane skeleton of P815 tumor cells.** J. R. Apgar and M. F. Mescher

361 **Contact inhibition of growth of human diploid fibroblasts by immobilized plasma membrane glycoproteins.** R. J. Wieser and F. Oesch

369 **Vitronectin at sites of cell–substrate contact in cultures of rat myotubes.** M. Baetscher, D. W. Pumplin, and R. J. Bloch

379 **Neuronal cell adhesion molecules and cytotactin are colocalized at the node of Ranvier.** F. Rieger, J. K. Daniloff, M. Pincon-Raymond, K. L. Crossin, M. Grumet, and G. M. Edelman

393 **Type VI collagen in extracellular, 100-nm periodic filaments and fibrils: identification by immunoelectron microscopy.** R. R. Bruns, W. Press, E. Engvall, R. Timpl, and J. Gross

405 **Crystals of the *Chlamydomonas reinhardtii* cell wall: polymerization, depolymerization, and purification of glycoprotein monomers.** U. W. Goodenough, B. Gebhart, R. P. Mecham, and J. E. Heuser

419 **Activation of coagulation releases endothelial cell mitogens.** C. Gajdusek, S. Carbon, R. Ross, P. Nawroth, and D. Stern.

429 **Fibronectin–plasma membrane interaction in the adhesion of hemopoietic cells.** F. G. Giancotti, P. M. Comoglio, and G. Tarone.

439 **Platelet activating factor raises intracellular calcium ion concentration in macrophages.** G. W. Conrad and T. J. Rink

451 **Activation affects access to the platelet receptor for adhesive glycoproteins.** B. S. Coller

457 **Cyclosporine A inhibits Ca^{2+}-dependent stimulation of the Na^+/H^+ antiport in human T cells.** P. M. Rosoff and G. Terres

465 **Dynamic behavior of histone H1 microinjected into HeLa cells.** L. H. Wu, L. Kuehl, and M. Rechsteiner

475 **Blockage of cell-to-cell communication within pancreatic acini is associated with increased basal release of amylase.** P. Meda, R. Bruzzone, S. Knodel, and L. Orci

485 **Abundant expression of *ras* proteins in *Aplysia* neurons.** M. E. Swanson, A. M. Elste, S. M. Greenberg, J. H. Schwartz, T. H. Aldrich, and M. E. Furth

493 **Purification and characterization of a polypeptide from chick brain that promotes the accumulation of acetylcholine receptors in chick myotubes.** T. B. Usdin and G. D. Fischback

509 **A nerve terminal anchorage protein from electric organ.** S. S. Carlson, P. Caroni, and R. B. Kelly

521 **Interaction of ^{125}I-labeled botulinum neurotoxins with nerve terminals. I. Ultrastructural autoradiographic localization and quantitation of distinct membrane acceptors for types A and B on motor nerves.** J. D. Black and J. O. Dolly

535 **Interaction of ^{125}I-labeled botulinum neurotoxins with nerve terminals. II. Autoradiographic evidence for its uptake into motor nerves by acceptor-mediated endocytosis.** J. D. Black and J. O. Dolly

545 **Regulation of microtubule composition and stability during nerve growth factor–promoted neurite outgrowth.** M. M. Black, J. M. Aletta, and L. A. Greene

559 **Analysis of the spatial organization of microtubule-associated proteins.** C. G. Jensen and B. H. Smaill

571 **The acetylation of alpha-tubulin and its relationship to the assembly and disassembly of microtubules.** H. Maruta, K. Greer, and J. L. Rosenbaum

581 **Oscillatory movements of monooriented chromosomes and their position relative to the spindle pole result from the ejection properties of the aster and half-spindle.** C. L. Rieder, E. A. Davison, L. C. W. Jensen, L. Cassimeris, and E. D. Salmon

593 **Physiological and ultrastructural analysis of elongating mitotic spindles reactivated in vitro.** W. Z. Cande and K. McDonald

605 **Reactivation of organelle movements along the cytoskeletal framework of a giant freshwater ameba.** M. P. Koonce and M. Schliwa

613 **Myosin at the apical pole of ciliated epithelial cells as revealed by a monoclonal antibody.** C. Klotz, N. Bordes, M.-C. Laine, D. Sandoz, and M. Bornens

621 **Isolation and partial characterization of a 110-kD dimer actin-binding protein.** T. Ueno and E. D. Korn

631 **Intracellular localization of the 55-kD actin-bundling protein in cultured cells: spatial relationships with actin, alpha-actinin, tropomyosin, and fimbrin.** S. Yamashiro-Matsumura and F. Matsumura

641 **Vinculin interaction with permeabilized cells: disruption and reconstitution of a binding site.** E. H. Ball, C. Freitag, and S. Gurofsky

649 **Axokinin phosphorylation by cAMP-dependent protein kinase is sufficient for activation of sperm flagellar motility.** J. S. Tash, H. Hidaka, and A. R. Means

657 **Cytokeratin No. 9, an epidermal type I keratin characteristic of a special program of keratinocyte differentiation displaying body site specificity.** A. C. Knapp, W. W. Franke, H. Heid, M. Hatzfeld, J. L. Jorcano, and R. Moll

---

Volume 103, Number 3, September 1986

673 **The positive transcription factor of the 5S RNA gene proteolyses during direct exchange between 5S DNA sites.** E. B. Kmiec and A. Worcel

683 **Association of nucleoplasmin with transcription products as revealed by immunolocalization in the amphibian oocyte.** N. Moreau, N. Angelier, M.-L. Bonnanfant-Jais, P. Gounon, and P. Kubisz

691 **Microinjected *Tetrahymena* rDNA ends are not recognized as telomeres in *Xenopus* eggs.** C. A. Berg and J. G. Gall

699 **Isolation and characterization of a novel ribonucleoprotein particle: large structures contain a single species of small RNA.** N. L. Kedersha and L. H. Rome

711 **A myosin heavy chain–like polypeptide is associated with the nuclear envelope in higher eukaryotic cells.** M. Berrios and P. A. Fisher

725 **Evidence for two-step processing of nuclear-encoded chloroplast proteins during membrane assembly.** C. P. Chia and C. J. Arntzen

733 **Monoclonal antibodies to the light-harvesting chlorophyll *a/b* protein complex of photosystem II.** S. C. Darr, S. C. Somerville, and C. J. Arntzen

741 **Characterization of the junctional face membrane from terminal cisternae of sarcoplasmic reticulum.** B. Costello, C. Chadwick, A. Saito, A. Chu, A. Maurer, and S. Fleischer

755 **Identification of ZO-1: a high molecular weight polypeptide associated with the tight junction (zonula occludens) in a variety of epithelia.** B. R. Stevenson, J. D. Siliciano, M. S. Mooseker, and D. A. Goodenough

767 **Cloning and characterization of human and rat liver cDNAs coding for a gap junction protein.** N. M. Kumar and N. B. Gilula

777 **Cellular analysis by in situ hybridization and immunoperoxidase of alpha-fetoprotein and albumin gene expression in rat liver during the perinatal period.** A. M. Poliard, D. Bernuau, I. Tournier, L. G. Legrès, D. Schoevaert, G. Feldmann, and J. M. Sala-Trepat

787 **Monocyte-conditioned medium, interleukin-1, and tumor necrosis factor stimulate the acute phase response in human hepatoma cells in vitro.** G. J. Darlington, D. R. Wilson, and L. B. Lachman

795 **Immortalization of human lymphocytes by fusion with cytoplasts of transformed mouse L cells.** H. Abken, H. Jungfer, W. H. W. Albert, and K. Willecke

807 **The lateral diffusion of lipid probes in the surface membrane of *Schistosoma mansoni*.** M. Foley, A. N. MacGregor, J. R. Kusel, P. B. Garland, T. Downie, and I. Moore

819 **Schistosomula of *Schistosoma mansoni* use lysophosphatidylcholine to lyse adherent human red blood cells and immobilize red cell membrane components.** D. E. Golan, C. S. Brown, C. M. L. Cianci, S. T. Furlong, and J. P. Caulfield

829 **Amino-terminal deletion mutants of the Rous sarcoma virus glycoprotein do not block signal peptide cleavage but can block intracellular transport.** J. M. Hardwick, K. E. S. Shaw, J. W. Wills, and E. Hunter

839 **Clathrin-coated vesicular transport of secretory proteins during the formation of ACTH-containing secretory granules in AtT20 cells.** J. Tooze and S. A. Tooze

851 **Role of intracellular calcium and protein kinase C in the endocytosis of transferrin and insulin by HL60 cells.** B. Iacopetta, J.-L. Carpentier, T. Pozzan, D. P. Lew, P. Gorden, and L. Orci

857 **Myoblast fusion is regulated by a prostanoid of the one series independently of a rise in cyclic AMP.** A. Entwistle, D. H. Curtis, and R. J. Zalin

867 ***Toxoplasma* modifies macrophage phagosomes by secretion of a vesicular network rich in surface proteins.** L. D. Sibley, J. L. Krahenbuhl, G. M. W. Adams, and E. Weidner

875 **3-Hydroxy-3-methylglutaryl coenzyme A reductase localization in rat liver peroxisomes and microsomes of control and cholestyramine-treated animals: quantitative biochemical and immunoelectron microscopical analyses.** G. A. Keller, M. Pazirandeh, and S. Krisans

887 **Nerve growth factor action is mediated by cyclic AMP- and Ca^{+2}/phospholipid-dependent protein kinases.** J. Cremins, J. A. Wagner, and S. Halegoua

895 **Changes in the organization of the neuritic cytoskeleton during nerve growth factor–activated differentiation of PC12 cells: a serial electron microscopic study of the development and control of neurite shape.** J. R. Jacobs and J. K. Stevens

907 **Experimental modification of PC12 neurite shape with the microtubule-depolymerizing drug nocodazole: a serial electron microscopic study of neurite shape control.** J. R. Jacobs and J. K. Stevens

917 **Microtubule reassembly from nucleating fragments during the regrowth of amputated neurites.** P. W. Baas and S. R. Heidemann

929 **Altered expression of neuronal cell adhesion molecules induced by nerve injury and repair.** J. K. Daniloff, G. Levi, M. Grumet, F. Rieger, and G. M. Edelman

947 **Identification of a MAP 2-like ATP-binding protein associated with axoplasmic vesicles that translocate on isolated microtubules.** S. P. Gilbert and R. D. Sloboda

957 **Stable complexes of axoplasmic vesicles and microtubules: protein composition and ATPase activity.** M. M. Pratt

969 **Studies on the transcription, translation, and structure of α-actinin in *Dictyostelium discoideum*.** W. Witke, M. Schleicher, F. Lottspeich, and A. Noegel

977 **The expression of myosin heavy chain isoforms in normal and hypertrophied chicken slow muscle.** J. M. Kennedy, S. Kamel, W. W. Tambone, G. Vrbova, and R. Zak

985 **The alteration of myosin isoform compartmentation in specific mutants of *Caenorhabditis elegans*.** H. F. Epstein, I. Ortiz, and L. A. T. Mackinnon

995 **Neonatal and adult myosin heavy chain isoforms in a nerve–muscle culture system.** M. S. Ecob-Prince, M. Jenkison, G. S. Butler-Browne, and R. G. Whalen

1007 **The architecture of actin filaments and the ultrastructural location of actin-binding protein in the periphery of lung macrophages.** J. H. Hartwig and P. Shevlin

1021 **Reorganization of polymerized actin: a possible trigger for induction of procollagenase in fibroblasts cultured in and on collagen gels.** E. N. Unemori and Z. Werb

1033 **A radiolabeled monoclonal antibody binding assay for cytoskeletal tubulin in cultured cells.** R. L. Ball, D. H. Carney, T. Albrecht, D. J. Asai, and W. C. Thompson

1043 **Endogenous lectins from cultured soybean cells: isolation of a protein immunologically cross-reactive with seed soybean agglutinin and analysis of its role in binding of *Rhizobium japonicum*.** S.-C. Ho, S. Malek-Hedayat, J. L. Wang, and M. Schindler

1055 **Binding and spreading of hepatocytes on synthetic galactose culture surfaces occur as distinct and separable threshold responses.** J. A. Oka and P. H. Weigel

1061 **Distribution of a putative cell surface receptor for fibronectin and laminin in the avian embryo.** D. M. Krotoski, C. Domingo, and M. Bronner-Fraser

1073 **Coupled expression and colocalization of 140K cell adhesion molecules, fibronectin, and laminin during morphogenesis and cytodifferentiation of chick lung cells.** W.-T. Chen, J.-M. Chen, S. C. Mueller

1091 **C3d fragment of complement interacts with laminin and binds to basement membranes of glomerulus and trophoblast.** I. Leivo and E. Engvall

1101 **Production of a heparin-binding angiogenesis factor by the embryonic kidney.** W. Risau and P. Ekblom

1109 **Sertoli cell binding to isolated testicular basement membrane.** G. C. Enders, J. H. Henson, and C. F. Millette

1121 **Ultrastructural immunolocalization of lysyl oxidase in vascular connective tissue.** H. M. Kagan, C. A. Vaccaro, R. E. Bronson, S.-S. Tang, and J. S. Brody

1129 **α-Thrombin induces release of platelet-derived growth factor–like molecule(s) by cultured human endothelial cells.** J. M. Harlan, P. J. Thompson, R. R. Ross, and D. F. Bowen-Pope

---

Volume 103, Number 4, October 1986

1137 **Transcription of a satellite DNA in the newt.** L. M. Epstein, K. A. Mahon, and J. G. Gall

1145 **Mouse satellite DNA, centromere structure, and sister chromatid pairing.** L. M. Lica, S. Narayanswami, and B. A. Hamkalo

1153 **Immunoelectron microscope visualization of heterogeneous nuclear ribonucleoproteins and small nuclear riboproteins within spread transcription complexes.** S. Fakan, G. Leser, and T. E. Martin

1159 **DNA amplification in multidrug, cross-resistant Chinese hamster ovary cells: molecular characterization and cytogenetic localization of the amplified DNA.** L. D. Teeter, S. Atsumi, S. Sen, and T. Kuo

1167 **The signal recognition particle receptor is a complex that contains two distinct polypeptide chains.** S. Tajima, L. Lauffer, V. L. Rath, and P. Walter

1179 **Assembly of influenza hemagglutinin trimers and its role in intracellular transport.** C. S. Copeland, R. W. Doms, E. M. Bolzau, R. G. Webster, and A. Helenius

1193 **Analysis of progressive deletions of the transmembrane and cytoplasmic domains of influenza hemagglutinin.** C. Doyle, J. Sambrook, and M.-J. Gething

1205 **Cotranslational and posttranslational proteolytic processing of preprosomatostatin-I in intact islet tissue.** B. D. Noe, P. C. Andrews, J. E. Dixon, and J. Spiess

1213 **Clathrin cubes: an extreme variant of the normal cage.** P. K. Sorger, R. A. Crowther, J. T. Finch, and B. M. F. Pearse

1221 **Resonance energy transfer microscopy: observations of membrane-bound fluorescent probes in model membranes and in living cells.** P. S. Uster and R. E. Pagano

1235 **Mannose-6-phosphate receptors for lysosomal enzymes cycle between the Golgi complex and endosomes.** W. J. Brown, J. Goodhouse, and M. G. Farquhar

1249 **Limited and selected transfer of plasma membrane glycoproteins to membrane of secondary lysosomes.** T. Haylett and L. Thilo

1257 **Isolated secretion granules from parotid glands of chronically stimulated rats possess an alkaline internal pH and inward-directed H^+ pump activity.** P. Arvan and J. D. Castle

1269 **Secretion of a malarial histidine-rich protein (Pf HRP II) from *Plasmodium falciparum*–infected erythrocytes.** R. J. Howard, S. Uni, M. Aikawa, S. B. Aley, J. H. Leech, A. M. Lew, T. E. Wellems, J. Rener, and D. W. Taylor

1279 **ATP keeps exocytosis sites in a primed state but is not required for membrane fusion: an analysis with *Paramecium* cells in vivo and in vitro.** J. Vilmart-Seuwen, H. Kersken, R. Stürzl, and H. Plattner

1289 **Sperm exocytosis increases the amount of PH-20 antigen on the surface of guinea pig sperm.** A. E. Cowan, P. Primakoff, and D. G. Myles

1299 **A common spectrum of polypeptides occurs in secretion granule membranes of different exocrine glands.** R. S. Cameron, P. L. Cameron, and J. D. Castle

1315 **Biogenesis of photosystem II complexes: transcriptional, translational, and posttranslational regulation.** K. H. Jensen, D. L. Herrin, F. G. Plumley, and G. W. Schmidt

1327 **Inhibition of ribulose bisphosphate carboxylase assembly by antibody to a binding protein.** S. Cannon, P. Wang, and H. Roy

1337 **The effects of galactolipid depletion on the structure of a photosynthetic membrane.** J. S. Jacob and K. R. Miller

1349 **Normal human epidermis contains an interferon-like protein.** M. Yaar, A. V. Palleroni, and B. A. Gilchrest

1355 **Epidermal growth factor (EGF) promotes phosphorylation at threonine-654 of the EGF receptor: possible role of protein kinase C in homologous regulation of the EGF receptor.** B. Whiteley and L. Glaser

1363 **Neurite outgrowth induced by an endothelial cell mitogen isolated from retina.** J. A. Wagner and P. A. D'Amore

1369 **Membrane glycoproteins of the nerve growth cone: diversity and growth regulation of oligosaccharides.** L. M. Greenberger and K. H. Pfenninger

1383 **A monoclonal antibody that blocks the activity of a neurite regeneration-promoting factor: studies on the binding site and its localization in vivo.** A. Y. Chiu, W. D. Matthew, and P. H. Patterson

1399 **Degradation rates of acetylcholine receptors can be modified in the postjunctional plasma membrane of the vertebrate neuromuscular junction.** M. M. Salpeter, D. L. Cooper, and T. Levitt-Gilmour

1405 **Isolation, characterization, and localization of the spanning protein from skeletal muscle triads.** R. M. Kawamoto, J.-P. Brunschwig, K. C. Kim, and A. H. Caswell

1415 **Plasminogen activator in mammalian skeletal muscle: characteristics of effect of denervation on urokinase-like and tissue activator.** B. W. Festoff, D. Hantaï, J. Soria, A. Thomaïdis, and C. Soria

1423 **Expression of muscle-gene–specific isozymes of phosphorylase and creatine kinase in innervated cultured human muscle.** A. Martinuzzi, V. Askanas, T. Kobayashi, W. K. Engel, and S. Di Mauro

1431 **Cell surface modulation of the neural cell adhesion molecule resulting from alternative mRNA splicing in a tissue-specific developmental sequence.** B. A. Murray, G. C. Owens, E. A. Prediger, K. L. Crossin, B. A. Cunningham, and G. M. Edelman

1441 **A-CAM: a 135-kD receptor of intercellular adherens junctions. I. Immunoelectron microscopic localization and biochemical studies.** T. Volk and B. Geiger

1451 **A-CAM: a 135-kD receptor of intercellular adherens junctions. II. Antibody-mediated modulation of junction formation.** T. Volk and B. Geiger

1465 **Talin at myotendinous junctions.** J. G. Tidball, T. O'Halloran, and K. Burridge

1473 **The actin filament–severing domain of plasma gelsolin.** C. Chaponnier, P. A. Janmey, and H. L. Yin

1483 **Studies on proteins that co-purify with smooth muscle vinculin: identification of immunologically related species in focal adhesions of nonmuscle and Z-lines of muscle cells.** J. A. Wilkins, M. A. Risinger, and S. Lin

1495 **The dynamic state of heat shock proteins in chicken embryo fibroblasts.** N. C. Collier and M. J. Schlesinger

1509 **Regulation of glucose-6-phosphate dehydrogenase activity in sea urchin eggs by reversible association with cell structural elements.** R. R. Swezey and D. Epel

1517 **Cytoplasmic myosin from *Drosophila melanogaster*.** D. P. Kiehart and R. Feghali

1527 **Monoclonal antibodies binding to the tail of *Dictyostelium discoideum* myosin: their effects on antiparallel and parallel assembly and actin-activated ATPase activity.** K. Pagh and G. Gerisch

1539 **A novel microtubule-associated protein from mammalian nerve shows ATP-sensitive binding to microtubules.** P. J. Hollenbeck and K. Chapman

1547 **Microtubule polarity confers direction to pigment transport in chromatophores.** M. A. McNiven and K. R. Porter

1557 **Microtubules and the endoplasmic reticulum are highly interdependent structures.** M. Terasaki, L. B. Chen, and K. Fujiwara

1569 **Attachment of cells to basement membrane collagen type IV.** M. Aumailley and R. Timpl

1577 **Type VII collagen is a major structural component of anchoring fibrils.** L. Y. Sakai, D. R. Keene, N. P. Morris, and R. E. Burgeson

1587 **Embryonic avian cornea contains layers of collagen with greater than average stability.** T. F. Linsenmayer, E. Gibney, and J. M. Fitch

1595 **Expression and function of a putative cell surface receptor for fibronectin in hamster and human cell lines.** P. J. Brown and R. L. Juliano

1605 **Correction of abnormal matrix formed by cmd/cmd chondrocytes in culture by exogenously added cartilage proteoglycan.** M. Takeda, H. Iwata, S. Suzuki, K. S. Brown, and K. Kimata

1615 **Biochemical and immunohistochemical evidence that in cartilage an alkaline phosphatase is a Ca^{2+}-binding glycoprotein.** B. de Bernard, P. Bianco, E. Bonucci, M. Costantini, G. C. Lunazzi, P. Martinuzzi, C. Modricky, L. Moro, E. Panfili, P. Pollesello, N. Stagni, and F. Vittur

1625 **Placement Service Notices**

Volume 103, Number 5, Part 1, November 1986

1635 **The structure of human thrombospondin, an adhesive glycoprotein with multiple calcium-binding sites and homologies with several different proteins.** J. Lawler and R. O. Hynes

1649 **Regulation of fibronectin receptor distribution by transformation, exogenous fibronectin, and synthetic peptides.** W.-T. Chen, J. Wang, T. Hasegawa, S. S. Yamada, and K. M. Yamada

1663 **Fibronectin glycosylation modulates fibroblast adhesion and spreading.** G. E. Jones, R. G. Arumugham, and M. L. Tanzer

1671 **Transformed human cells release different fibronectin variants than do normal cells.** P. Castellani, A. Siri, C. Rosellini, E. Infusini, L. Borsi, and L. Zardi

1679 **Identification of new protein localized at sites of cell–substrate adhesion.** M. C. Beckerle

1689 **Inhibition of laminin self-assembly and interaction with type IV collagen by antibodies to the terminal domain of the long arm.** A. S. Charonis, E. C. Tsilibary, T. Saku, and H. Furthmayr

1699 **The melanoma proteoglycan: restricted expression on microspikes, a specific microdomain of the cell surface.** H. J. Garrigues, M. W. Lark, S. Lara, I. Hellström, K. E. Hellström, and T. N. Wight

1711 **Biosynthesis and supramolecular assembly of procollagen IV in neonatal lung.** B. Blumberg, L. I. Fessler, M. Kurkinen, and J. H. Fessler

1721 **Topography of N-CAM structural and functional determinants. I. Classification of monoclonal antibody epitopes.** M. Watanabe, A. L. Frelinger III, and U. Rutishauser

1729 **Topography of N-CAM structural and functional determinants. II. Placement of monoclonal antibody epitopes.** A. L. Frelinger III and U. Rutishauser

1739 **Topographic localization of the heparin-binding domain of the neural cell adhesion molecule N-CAM.** G. J. Cole, A. Loewy, N. V. Cross, R. Akeson, and L. Glaser

1745 **The development of regionalized lipid diffusibility in the germ cell plasma membrane during spermatogenesis in the mouse.** D. E. Wolf, B. K. Scott, and C. F. Millette

1751 **Dynamics of membrane–skeleton (fodrin) organization during development of polarity in Madin–Darby canine kidney epithelial cells.** W. J. Nelson and P. J. Veshnock

1767 **Transferrin receptor polarity and recycling accuracy in "tight" and "leaky" strains of Madin–Darby canine kidney cells.** S. D. Fuller and K. Simons

1781 **Cell proliferation and expression of the transferrin receptor gene: promoter sequence homologies and protein interactions.** W. K. Miskimins, A. McClelland, M. P. Roberts, and F. H. Ruddle

1789 **Control of erythroid differentiation: asynchronous expression of the anion transporter and the peripheral components of the membrane skeleton in AEV- and S13-transformed cells.** C. M. Woods, B. Boyer, P. K. Vogt, and E. Lazarides

1799 **Regulation of myogenic differentiation by type β transforming growth factor.** E. N. Olson, E. Sternberg, J. S. Hu, G. Spizz, and C. Wilcox

1807 **Chymotrypsin substrate analogues inhibit endocytosis of insulin and insulin receptors in adipocytes.** A. L. Jochen and P. Berhanu

1817 **Mannose 6-phosphate receptor–mediated endocytosis of acid hydrolases: internalization of β-glucuronidase is accompanied by a limited dephosphorylation.** C. A. Gabel and S. A. Foster

1829 **A cell-free assay for the insertion of a viral glycoprotein into the plasma membrane.** P. G. Woodman and J. M. Edwardson

1837 **Regulation of genes encoding the large subunit of ribulose-1,5-bisphosphate carboxylase and the photosystem II polypeptides D-1 and D-2 during the cell cycle of *Chlamydomonas reinhardtii*.** D. L. Herrin, A. S. Michaels, and A.-L. Paul

1847 **Involvement of nuclear lamins in postmitotic reorganization of chromatin as demonstrated by microinjection of lamin antibodies.** R. Benavente and G. Krohne

1855 **Identification of a 52-kD calmodulin-binding protein associated with the mitotic spindle apparatus in mammalian cells.** R. C. Brady, F. Cabral, and J. R. Dedman

1863 **A novel mitotic spindle pole component that originates from the cytoplasm during prophase.** P. R. Sager, N. L. Rothfield, J. M. Oliver, and R. D. Berlin

1873 **The reproduction of centrosomes: nuclear versus cytoplasmic controls.** G. Sluder, F. J. Miller, and C. L. Rieder

1883 **Ultrastructural colocalization of tyrosinated and detyrosinated α-tubulin in interphase and mitotic cells.** G. Geuens, G. G. Gundersen, R. Nuydens, F. Cornelissen, J. C. Bulinski, and M. DeBrabander

1895 **Microtubule sliding in mutant *Chlamydomonas* axonemes devoid of outer or inner dynein arms.** T. Okagaki and R. Kamiya

1903 **The mammalian β-tubulin repertoire: hematopoietic expression of a novel, heterologous β-tubulin isotype.** D. Wang, A. Villasante, S. A. Lewis, and N. J. Cowan

1911 **Purification and characterization of a 190-kD microtubule-associated protein from bovine adrenal cortex.** H. Murofushi, S. Kotani, H. Aizawa, S. Hisanaga, N. Hirokawa, and H. Sakai

1921 **Stages in axon formation: observations of growth of *Aplysia* axons in culture using video-enhanced contrast-differential interference contrast microscopy.** D. J. Goldberg and D. W. Burmeister

1933 **Co-expression of cytokeratins and neurofilament proteins in a permanent cell line: cultured rat PC12 cells combine neuronal and epithelial features.** W. W. Franke, C. Grund, and T. Achtstätter

1945 **Evidence for posttranscriptional regulation of the keratins expressed during hyperproliferation and malignant transformation in human epidermis.** A. L. Tyner and E. Fuchs

1957 **Stage-specific keratins in *Xenopus laevis* embryos and tadpoles: the XK81 gene family.** S. Miyatani, J. A. Winkles, T. D. Sargent, and I. B. Dawid

1967 **Selective inhibition of responses to nerve growth factor and of microtubule-associated protein phosphorylation by activators of adenylate cyclase.** L. A. Greene, S. A. Drexler, J. L. Connolly, A. Rukenstein, and S. H. Green

1979 **Uptake and transepithelial transport of nerve growth factor in suckling rat ileum.** K. Siminoski, P. Gonnella, J. Bernanke, L. Owen, M. Neutra, and R. A. Murphy

1991 **Selective induction of tyrosine hydroxylase by cell–cell contact in bovine adrenal chromaffin cells is mimicked by plasma membranes.** S. Saadat and H. Thoenen

1999 **Cellular and subcellular distribution of a cAMP-regulated prestalk protein and prespore protein in *Dictyostelium discoideum*: a study on the ontogeny of prestalk and prespore cells.** R. H. Gomer, S. Datta, and R. A. Firtel

2017 **The tyrosine phosphorylation substrate p36 is developmentally regulated in embryonic avian limb and is induced in cell culture.** V. C. Carter, A. R. Howlett, G. S. Martin, and M. J. Bissell

2025 **Cloned cell lines from a transplantable islet cell tumor are heterogeneous and express cholecystokinin in addition to islet hormones.** O. D. Madsen, L.-I. Larsson, J. F. Rehfeld, T. W. Schwartz, A. Lernmark, A. D. Labrecque, and D. F. Steiner

2035 **Cellular and biochemical events in mammalian cells during and after recovery from physiological stress.** W. J. Welch and J. P. Suhan

2053 **Effect of catecholamines on Na/H exchange in vascular smooth muscle cells.** N. E. Owen

2061 **Placement Service Notices**

Volume 103, Number 6, Part 1, December 1986

Mini-Review

2067 **Allosteric regulation of the epidermal growth factor receptor kinase.** J. Schlessinger

Regular Articles

2073 **A fractionated cell-free system for analysis of prophase nuclear disassembly.** F. A. Suprynowicz and L. Gerace

2083 **Monoclonal antibody specific for human nuclear proteins IEF 8Z30 and 8Z31 accumulates in the nucleus a few hours after cytoplasmic microinjection of cells expressing these proteins.** P. Madsen, S. Nielsen, and J. E. Celis

2091 **In vitro transport of a fluorescent nuclear protein and exclusion of non-nuclear proteins.** D. D. Newmeyer, D. R. Finlay, and D. J. Forbes

2103 **Identification and nuclear localization of yeast pre-messenger RNA processing components: *RNA2* and *RNA3* proteins.** R. L. Last and J. L. Woolford, Jr.

2113 **Differential chromosomal distribution of ribonucleoprotein antigens in nuclei of *Drosophila* spermatocytes.** K. H. Glätzer and P.-M. Kloetzel

2121 **Characterization of monoclonal antibodies to *Acanthamoeba* myosin-I that cross-react with both myosin-II and low molecular mass nuclear proteins.** S. J. Hagen, D. P. Kiehart, D. A. Kaiser, and T. D. Pollard

2129 **Differential accumulation of ribonucleotide reductase subunits in clam oocytes: the large subunit is stored as a polypeptide, the small subunit as untranslated mRNA.** N. Standart, T. Hunt, and J. V. Ruderman

2137 **Translational control of mRNA expression during the early mitogenic response in Swiss mouse 3T3 cells: identification of specific proteins.** G. Thomas and G. Thomas

2145 **Calcium ionophore A23187 as a regulator of gene expression in mammalian cells.** E. Resendez, Jr., J. Ting, K. S. Kim, S. K. Wooden, and A. S. Lee

2153 **Contractile activity is required for the expression of neonatal myosin heavy chain in embryonic chick pectoral muscle cultures.** L. C. Cerny and E. Bandman

2163 **Formation and alignment of Z lines in living chick myotubes microinjected with rhodamine-labeled alpha-actinin.** N. M. McKenna, C. S. Johnson, and Y.-L. Wang

2173 **Assembly of different isoforms of actin and tropomyosin into the skeletal tropomyosin-enriched microfilaments during differentiation of muscle cells in vitro.** J. J.-C. Lin and J. L.-C. Lin

2185 **Titin and myosin, but not desmin, are linked during myofibrillogenesis in postmitotic mononucleated myoblasts.** C. S. Hill, S. Duran, Z. Lin, K. Weber, and H. Holtzer

2197 **Developmental regulation of the multiple myogenic cell lineages of the avian embryo.** J. B. Miller and F. E. Stockdale

2209 **Different structural states of a microtubule cross-linking molecule, captured by quick-freezing motile axostyles in protozoa.** J. E. Heuser

2229 **A microtubule-binding protein associated with membranes of the Golgi apparatus.** V. J. Allan and T. E. Kreis

2241 **Fluorescence visualization of the distribution of microfilaments in gonads and early embryos of the nematode *Caenorhabditis elegans*.** S. Strome

2253 **Formation of a functional ribosome–membrane junction during translocation requires the participation of a GTP-binding protein.** T. Connolly and R. Gilmore

2263 **The NH_2 terminus of preproinsulin directs the translocation and glycosylation of a bacterial cytoplasmic protein by mammalian microsomal membranes.** E. M. Eskridge and D. Shields

2273 **Conversion of proinsulin to insulin occurs coordinately with acidification of maturing secretory vesicles.** L. Orci, M. Ravazzola, M. Amherdt, O. Madsen, A. Perrelet, J.-D. Vassalli, and R. G. W. Anderson

2283 **Chinese hamster ovary cell mutants with temperature-sensitive defects in endocytosis. I. Loss of function on shifting to the nonpermissive temperature.** C. F. Roff, R. Fuchs, I. Mellman, A. R. Robbins

2299 **Skin peptides in *Xenopus laevis*: morphological requirements for precursor processing in developing and regenerating granular skin glands.** B. E. Flucher, C. Lenglachner-Bachinger, K. Pohlhammer, H. Adam, and C. Mollay

2311 **Cell surface expression of membrane-anchored v-*sis* gene products: glycosylation is not required for cell surface transport.** M. Hannink and D. J. Donoghue

2323 **Glucocorticoid-regulated glycoprotein maturation in wild-type and mutant rat cell lines.** G. L. Firestone, N. J. John, and K. R. Yamamoto

2333 **The part played by inositol trisphosphate and calcium in the propagation of the fertilization wave in sea urchin eggs.** K. Swann and M. Whitaker

2343 **Kinetic analysis of the triggered exocytosis/endocytosis secretory cycle in cultured bovine adrenal medullary cells.** H. von Grafenstein, C. S. Roberts, and P. F. Baker

2353 **Stimulus–secretion coupling in the developing exocrine pancreas: secretory responsiveness to cholecystokinin.** A. Chang and J. D. Jamieson

2367 **Early changes in the synthesis of nuclear and cytoplasmic proteins are induced by nerve growth factor in differentiating rat PC12 cells.** J.-M. Tiercy and E. M. Shooter

2379 **Histamine type I receptor occupancy increases endothelial cytosolic calcium, reduces F-actin, and promotes albumin diffusion across cultured endothelial monolayers.** D. Rotrosen and J. I. Gallin

2389 **Plasmalemmal proteins of cultured vascular endothelial cells exhibit apical–basal polarity: analysis by surface-selective iodination.** W. A. Muller and M. A. Gimbrone, Jr.

2403 **Enhanced production and extracellular deposition of the endothelial-type plasminogen activator inhibitor in cultured human lung fibroblasts by transforming growth factor-β.** M. Laiho, O. Saksela, P. A. Andreasen, and J. Keski-Oja

2411 **The plasminogen system and cell surfaces: evidence for plasminogen and urokinase receptors on the same cell type.** E. F. Plow, D. E. Freaney, J. Plescia, and L. A. Miles

2421 **Integrin (the CSAT antigen): functionality requires oligomeric integrity.** C. A. Buck, E. Shea, K. Duggan, and A. F. Horwitz

2429 **A monoclonal antibody against meningococcus group B polysaccharides distinguishes embryonic from adult N-CAM.** G. Rougon, C. Dubois, N. Buckley, J. L. Magnani, and W. Zollinger

2439 **Immunoelectron microscopic localization of neural cell adhesion molecules (L1, N-CAM, and MAG) and their shared carbohydrate epitope and myelin basic protein in developing sciatic nerve.** R. Martini and M. Schachner

2449 **A monoclonal antibody that blocks adhesion of *Chlamydomonas mt*$^+$ gametes.** W. J. Snell, M. G. Kosfiszer, A. Clausell, N. Perillo, S. Imam, and G. Hunnicutt

2457 **Mapping of domains in human laminin using monoclonal antibodies: localization of the neurite-promoting site.** E. Engvall, G. E. Davis, K. Dickerson, E. Ruoslahti, S. Varon, and M. Manthorpe

2467 **The role of the main noncollagenous domain (NCl) in type IV collagen self-assembly.** E. C. Tsilibary and A. S. Charonis

2475 **Conditioning of native substrates by chondroitin sulfate proteoglycans during cardiac mesenchymal cell migration.** F. M. Funderburg and R. R. Markwald

2489 **Evidence for splicing new basement membrane into old during glomerular development in newborn rat kidneys.** D. R. Abrahamson and E. W. Perry

2499 **Fibrillin, a new 350-kD glycoprotein, is a component of extracellular microfibrils.** L. Y. Sakai, D. R. Keene, and E. Engvall

2511 **Protein p38: an integral membrane protein specific for small vesicles of neurons and neuroendocrine cells.** F. Navone, R. Jahn, G. Di Gioia, H. Stukenbrok, P. Greengard, and P. De Camilli

2529 **Lymphoma Thy-1 glycoprotein is linked to the cytoskeleton via a 4.1-like protein.** L. Y. W. Bourguignon, S. J. Suchard, and E. L. Kalomiris

2541 **Immunogold electron microscopy of phytochrome in *Avena*: identification of intracellular sites responsible for phytochrome sequestering and enhanced pelletability.** D. W. McCurdy and L. H. Pratt

---

Volume 103, Number 6, Part 2, December 1986

Mini-Review

2565 **The sorting of proteins to the plasma membrane in epithelial cells.** K. S. Matlin

Regular Articles

2569 **Topoisomerase II: a specific marker for cell proliferation.** M. M. S. Heck and W. C. Earnshaw

2583 **Differential localization of distinct keratin mRNA-species in mouse tongue epithelium by in situ hybridization with specific cDNA probes.** M. Rentrop, B. Knapp, H. Winter, and J. Schweizer

2593 **Acidic and basic hair/nail ("hard") keratins: their colocalization in upper cortical and cuticle cells of the human hair follicle and their relationship to "soft" keratins.** M. H. Lynch, W. M. O'Guin, C. Hardy, L. Mak, and T.-T. Sun

2607 **Alteration of the cytoplasmic domain of the membrane-spanning glycoprotein p62 of Semliki Forest virus does not affect its polar distribution in established lines of Madin–Darby canine kidney cells.** L. M. Roman and H. Garoff

2619 **Potassium-dependent assembly of coated pits: new coated pits form as planar clathrin lattices.** J. M. Larkin, W. C. Donzell, and R. G. W. Anderson

2629 **Protein translocation across the yeast microsomal membrane is stimulated by a soluble factor.** M. G. Waters, W. J. Chirico, and G. Blobel

2637 **Identification of an alternatively spliced site in human plasma fibronectin that mediates cell type–specific adhesion.** M. J. Humphries, S. K. Akiyama, A. Komoriya, K. Olden, and K. M. Yamada

2649 **A novel cadherin cell adhesion molecule: its expression patterns associated with implantation and organogenesis of mouse embryos.** A. Nose and M. Takeichi

2659 **Distinct molecular interactions mediate neuronal process outgrowth on non-neuronal cell surfaces and extracellular matrices.** K. J. Tomaselli, L. F. Reichardt, and J. L. Bixby

2673 **Myelin instability and oligodendrocyte metabolism in myelin-deficient mutant mice.** J.-M. Matthieu, J.-M. Roch, F. X. Omlin, I. Rambaldi, G. Almazan, and P. E. Braun

2683 **Cell surface proteoglycan associates with the cytoskeleton at the basolateral cell surface of mouse mammary epithelial cells.** A. Rapraeger, M. Jalkanen, and M. Bernfield

2697 **Focal adhesion sites and the removal of substratum-bound fibronectin.** F. Grinnell

2707 **An actin-nucleating activity in polymorphonuclear leukocytes is modulated by chemotactic peptides.** M. Carson, A. Weber, and S. H. Zigmond

2715 **Homing of hemopoietic precursor cells to the embryonic thymus: characterization of an invasive mechanism induced by chemotactic peptides.** P. Savagner, B. A. Imhof, K. M. Yamada, and J.-P. Thiery

2729 **The effect of neutrophil migration on epithelial permeability.** L. C. Milks, G. P. Conyers, and E. B. Cramer

2739 **Tau protein function in living cells.** D. G. Drubin and M. W. Kirschner

2747 **Rate constants for the reactions of ATP- and ADP-actin with the ends of actin filaments.** T. D. Pollard

2755 **Reactivated melanophore motility: differential regulation and nucleotide requirements of bidirectional pigment granule transport.** M. M. Rozdzial and L. T. Haimo

2765 **Micromanipulated bivalents can trigger mini-spindle formation in *Drosophila melanogaster* spermatocyte cytoplasm.** K. Church, R. B. Nicklas, and H.-P. P. Lin

2775 **Immunocytochemical studies of endothelial cells in vivo. I. The presence of desmin only, or of desmin plus vimentin, or vimentin only, in the endothelial cells of different capillaries of the adult chicken.** T. Fujimoto and S. J. Singer

2787 **A monoclonal antibody against α-smooth muscle actin: a new probe for smooth muscle differentiation.** O. Skalli, P. Ropraz, A. Trzeciak, G. Benzonana, D. Gillessen, and G. Gabbiani

2799 **Author Index for Volume 103**